



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/598,044	08/16/2006	Paul A. Stucky	60469-122PUS1; 000.05297-	9489
26096 7590 10/20/2010 CARLSON, GASKEY & OLDS, P.C. 400 WEST MAPLE ROAD SUITE 350 BIRMINGHAM, MI 48009			EXAMINER CHAN, KAWING	
			ART UNIT 2837	PAPER NUMBER
			MAIL DATE 10/20/2010	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/598,044	Applicant(s) STUCKY ET AL.	
	Examiner Kawing Chan	Art Unit 2837	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 26 July 2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-5, 7-12 and 14-20 is/are rejected.
- 7) ☒ Claim(s) 6 and 13 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date <u>07/20/10</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. In view of the appeal brief filed on 07/26/10, PROSECUTION IS HEREBY REOPENED. New grounds of rejection are set forth below.

To avoid abandonment of the application, appellant must exercise one of the following two options:

(1) file a reply under 37 CFR 1.111 (if this Office action is non-final) or a reply under 37 CFR 1.113 (if this Office action is final); or,

(2) initiate a new appeal by filing a notice of appeal under 37 CFR 41.31 followed by an appeal brief under 37 CFR 41.37. The previously paid notice of appeal fee and appeal brief fee can be applied to the new appeal. If, however, the appeal fees set forth in 37 CFR 41.20 have been increased since they were previously paid, then appellant must pay the difference between the increased fees and the amount previously paid.

A Supervisory Patent Examiner (SPE) has approved of reopening prosecution by signing below:

/Walter Benson/

Supervisory Patent Examiner, Art Unit 2837.

Claims 1-20 are pending for examination.

Information Disclosure Statement

2. The information disclosure statement (IDS) submitted on 07/20/10 is in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statement is being considered by examiner.

Claim Objections

3. Claim 11 is objected to because of the limitation "non-adjacent tension members". The limitation in claim 8 only recites "one tension member", and the limitation in claim 11 recites more than one tension member. In order to particularly point out and distinctively claim the invention, it is suggested to change the limitation "an elevator load bearing member" in line 1 of claim 8 to "an elevator load bearing member that has a plurality of tension members", and change the limitation "at least one tension member" in line 4 of claim 8 to "at least one of the tension members".

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1, 3, 8, 9, 15-17 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Clarke et al. (US 2002/0194935 A1) in view of Crick (US 4,291,204).

In Re claim 1, Clarke discloses a method (Abstract) of monitoring a condition (i.e. fault) of an elevator load bearing member (Figure 1: 10) that has a plurality of spaced, electrically conductive tension members (Figure 1: 10 & Paragraph [0017]), comprising the steps of applying a selected electric signal (since the invention is measuring the change of voltage based on the change of resistance of the wires, Clarke inherently discloses current, i.e. electric signal, is being supplied to the wires so as to be able to generate potential difference between the resistors) to at least one of the tension members.

Clarke fails to disclose a selected electric signal comprising a plurality of pulses and having a duty ratio that is less than about 10% to at least one of the tension members.

However, Crick discloses a method of monitoring a condition (i.e. fault) of cable comprising the step of applying a selected electric signal (i.e. current) comprising a plurality of pulses (Col 2 lines 30-56 & Col 4 lines 36-43 & Col 7 line 67 to Col 8 line 7) and having a duty ratio that is less than about 10% to the cable (Col 8 lines 19-25: duty ratio of 1/20 is less than 10%).

Thus, it would have been obvious to one having ordinary skill in the art at the time of the invention was made to have modified the teachings of Clarke (i.e. current supplied to the wires) with the teachings of Crick (i.e. current pulse with duty ratio of 1/20), since it is known in the art to utilize current pulse with duty ratio less than 10% to detect fault of a cable wire so that circuit for supply current pulses could be embodied in a small, lightweight portable apparatus (Col 8 lines 19-25).

In Re claim 3, with reference to Figures 1 and 2, Clarke discloses coupling at least two tension members (10) in an electrically conductive manner and applying the electric signal (current) to the coupled tension members (Abstract; Paragraphs [0015-0018, 0025, 0026]). With reference to Figure 1, six tension members (10) are coupled together in series by jumpers (12). The far left tension member is coupled to the second left tension member (adjacent) and to the rest of the tension members (non-adjacent). Based on the principle of broadest reasonable interpretation, “coupling at least two non-adjacent tension members” does not exclude the coupling of adjacent tension members. In addition, Clarke intends to connect all the tension members (10) in series by using jumpers (12), and rearranging the jumpers to couple tension members with non-adjacent members only and connect all the tension members in a series connection would be within the skill in the art.

In Re claim 8, Clarke discloses a device for monitoring a condition (i.e. fault) of an elevator load bearing member (Figure 1: 10) comprising a controller that selectively applies an electric signal (since the invention is measuring the change of voltage based on the change of resistance of the wires, Clarke inherently discloses current, i.e. electric signal, is being supplied to the wires so as to be able to generate potential difference between the resistors, and the controller is inherently disclosed to supply current to the wires, e.g. Figure 1: V) to at least one tension member (Figure 1: 10).

Clarke fails to disclose the signal comprising a plurality of pulses and has a duty ratio that is less than about 10% to at least one of the tension members.

However, Crick discloses a method of monitoring a condition (i.e. fault) of cable comprising the step of applying a selected electric signal (i.e. current) comprising a plurality of pulses (Col 2 lines 30-56 & Col 4 lines 36-43 & Col 7 line 67 to Col 8 line 7) and has a duty ratio that is less than about 10% to the cable (Col 8 lines 19-25: duty ratio of 1/20 is less than 10%).

Thus, it would have been obvious to one having ordinary skill in the art at the time of the invention was made to have modified the teachings of Clarke (i.e. current supplied to the wires) with the teachings of Crick (i.e. current pulse with duty ratio of 1/20), since it is known in the art to utilize current pulse with duty ratio less than 10% to detect fault of a cable wire so that circuit for supply current pulses could be embodied in a small, lightweight portable apparatus (Col 8 lines 19-25).

In Re claim 9, Clarke discloses a connector (201,201, 12) that establishes an electrically conductive connection between the controller (e.g. V) and the tension member (10).

In Re claim 15, Clarke discloses the controller (e.g. V) applies the signal to an entire plurality of tension members simultaneously (Figure 1).

In Re claim 16, Clarke discloses an elevator load bearing member assembly (Figure 1: 10) comprising:

- a plurality of electrically conductive tension members (Figure 1: 10 & Paragraph [0017]);
- a nonconductive jacket (Figure 1 & Paragraph [0019]: 11) generally surrounding the tension members (10); and

- a controller that selectively applies an electric signal (since the invention is measuring the change of voltage based on the change of resistance of the wires, Clarke inherently discloses current, i.e. electric signal, is being supplied to the wires so as to be able to generate potential difference between the resistors, and the controller is inherently disclosed to supply current to the wires, e.g. Figure 1: V) to at least one tension member (Figure 1: 10).

Clarke fails to disclose a selected electric signal comprising a plurality of pulses and having a duty ratio that is less than about 10% to at least one of the tension members.

However, Crick discloses a method of monitoring a condition (i.e. fault) of cable comprising the step of applying a selected electric signal (i.e. current) comprising a plurality of pulses (Col 2 lines 30-56 & Col 4 lines 36-43 & Col 7 line 67 to Col 8 line 7) and having a duty ratio that is less than about 10% to the cable (Col 8 lines 19-25: duty ratio of 1/20 is less than 10%).

Thus, it would have been obvious to one having ordinary skill in the art at the time of the invention was made to have modified the teachings of Clarke (i.e. current supplied to the wires) with the teachings of Crick (i.e. current pulse with duty ratio of 1/20), since it is known in the art to utilize current pulse with duty ratio less than 10% to detect fault of a cable wire so that circuit for supply current pulses could be embodied in a small, lightweight portable apparatus (Col 8 lines 19-25).

In Re claim 17, Clarke discloses a connector (201,201, 12) that establishes an electrically conductive connection between the controller (e.g. V) and the tension member (10).

In Re claim 20, Crick discloses the duty ratio is $1/20$ (i.e. 5%), more or less (Col 8 lines 19-21). Thus, Crick is capable of generating current pulses with duty ratio less than $1/20$ (e.g. 1%), and it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller*, 105 USPQ 233.

6. Claims 2, 7, 10, 14 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Clarke et al. (US 2002/0194935 A1) in view of Crick (US 4,291,204) as applied to claims 1, 8 and 16 above, and further in view of Robar (WO 00/58706).

In Re claim 2, Clarke and Crick have been discussed above, but they fail to disclose applying the signal to one of the tension members at a time.

However, Robar discloses applying the signal (i.e. current) to one of the tension members (i.e. individual cords within a rope) at a time (Page 9 lines 24-26: Robar suggests a method of comparing resistivity of individual cords within a rope, thus, Robar inherently discloses a method of measuring resistance of one individual cord at a time so as to be able to compare resistivity of the individual cords). In addition, the limitation “applying the signal to one of the tension members at a time” does not limit the limitation to be “only” one tension member at a time. Applying electric signal to all the tension members includes applying the electric signal to one of the tension members.

Thus, it would have been obvious to one having ordinary skill in the art at the time of the invention was made to have modified the teachings of Clarke and Crick with the teachings of Robar, since it is known in the art to determine the condition of a rope by comparing resistivity of individual cords (i.e. applying signal to individual cords one at a time) so that the effect of temperature and moisture to the resistivity of individual cords would be minimized.

In Re claim 7, Robar discloses the step of determining a resistance of the tension members based upon the applied signal (Page 9 lines 3-23).

In Re claims 10 and 18, with reference to Figures 1 and 2, Clarke discloses coupling at least two tension members (10) in an electrically conductive manner and applying the electric signal (current) to the coupled tension members (Abstract; Paragraphs [0015-0018, 0025, 0026]). With reference to Figure 1, six tension members (10) are coupled together in series by jumpers (12). The far left tension member is coupled to the second left tension member (adjacent) and to the rest of the tension members (non-adjacent). Based on the principle of broadest reasonable interpretation, “coupling at least two non-adjacent tension members” does not exclude the coupling of adjacent tension members. In addition, Clarke intends to connect all the tension members (10) in series by using jumpers (12), and rearranging the jumpers to couple tension members with non-adjacent members only and connect all the tension members in a series connection would be within the skill in the art.

In Re claim 14, Robar discloses the controller (612) determines a resistance of the tension members and a condition of the load bearing member based upon the determined resistance (Page 8 line 20 to Page 9 line 31).

7. Claims 4, 5, 11, 12 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Clarke et al. (US 2002/0194935 A1) in view of Crick (US 4,291,204) as applied to claims 1, 8 and 16 above, and further in view of Brucken et al. (US 5,338,417).

In Re claims 4 and 11, Clarke and Crick have been discussed above, but they fail to disclose the tension member carrying the signal as a cathode relative to a hoistway where the elevator load bearing member is used.

However, Brucken discloses the tension member (i.e. steel pipe encases a high tension power line) carrying the signal as a cathode (i.e. negative voltage) relative to a hoistway (i.e. ground) (Col 2 lines 24-33).

Thus, it would have been obvious to one having ordinary skill in the art at the time of the invention was made to have modified the teachings of Clarke and Crick with the teachings of Brucken, since it is known in the art to utilize the technique of cathodic protection so as to be able to control the corrosion of a metal surface by making that surface as cathode.

In Re claim 5, Brucken discloses controlling a potential of the electric signal (i.e. negative voltage) such that the potential is negative compared to a ground potential of the hoistway (i.e. the ground) (Col 2 lines 24-33).

In Re claims 12 and 19, Brucken discloses the electric signal has a polarity that is negative (i.e. negative voltage) compared to a ground potential of a hoistway (i.e. the ground) (Col 2 lines 24-33).

Allowable Subject Matter

8. Claims 6 and 13 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

The following is a statement of reasons for the indication of allowable subject matter: The cited prior art do not teach or suggest a device or method for monitoring a condition of an elevator load bearing member comprising the electric signal is applied only to non-adjacent tension members at a time. The combinations of the claimed limitations in the independent claims 1 and 8 are not anticipated or made obvious by the prior art of record in the examiner's opinion.

Response to Arguments

9. Applicant's arguments with respect to claims 1-3, 7-10, 14-18 and 20 have been considered but are moot in view of the new ground(s) of rejection.

10. Applicant's arguments with respect to claims 6 and 13 have been considered but are moot as they are being indicated as allowable subject matter.

11. Applicant's arguments with respect to claims 4, 5, 11, 12 and 19 have been considered but they are not persuasive.

Applicant argues that "The Brucken reference has nothing to do with elevator system or determining a condition of a tension member within an elevator load bearing assembly", "There would be no reason to look to the teachings of the Brucken reference for how to allegedly modify the Robar reference. Therefore, the proposed combination cannot be made" and "even if the proposed combination could be made, there is nothing within the proposed combination that teaches the limitations of claims 4 and 11 each of which has an electric signal applied to the tension member carrying the signal so that the tension member is a cathode relative to a hoistway where the belt assembly is used."

In response to the arguments, the examiner wants to point out that the rejections of claims 4, 5, 11, 12 and 19 are based on the teachings cited in the background section of Brucken (Col 2 lines 24-33). In that particular section, Brucken indicates that it is well-known to use negative voltage relative to ground (i.e. electric signal) to control corrosion on a steel pipe. Since Clarke discloses a method of applying an electric signal to metallic wires, it would be obvious to one skilled in the art at the time of the invention was made to seek corrosion protection for the metallic wires. Thus, although Brucken has nothing to do with elevator system, it would be obvious to one skilled in the art to look to the teachings of the Brucken reference for cathodic protection against corrosion.

In addition, since Brucken in Col 2 lines 24-33 discloses a prior art method of supplying negative voltage relative to the ground (i.e. cathode signal) to the pipe for preventing corrosion on the pipe, it would have been obvious to one skilled in the art to

Art Unit: 2837

have modified the teachings of Clarke with the teachings of Brucken so as to apply a cathode signal (i.e. negative current relative to the ground) to the belt assembly, and he combination would have produce a predictable result to one of ordinary skilled in the art at the time of the invention was made.

Conclusion

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kawing Chan whose telephone number is (571)270-3909. The examiner can normally be reached on Mon-Fri 9am-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Walter Benson can be reached on 571-272-2227. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/K. C./
Examiner, Art Unit 2837

/Walter Benson/
Supervisory Patent Examiner, Art Unit 2837

Application/Control Number: 10/598,044
Art Unit: 2837

Page 14